

EN

Sectional Door Security Upgrade Package

Secured by Design

Secured by Design



Official Police Security Initiative

GARADOR
The Garage Door People

Dear Customer,

We are delighted that you have chosen a quality product from our company.

1 About This Booklet

This booklet is divided into three sections, introduction, illustration and declaration of conformity. In order for your product to be fully recognised as Secured by Design it is imperative all required conditions are met.

2 Product Requirements

To comply with Secured by Design only official GARADOR parts and products may be used. They must be installed in accordance to the manufacturer's instructions and comply to the checklist included within this booklet. The declaration of conformity must be completed by the installer and supplied to ourselves in order to release the Secured by Design compliancy certificate.


3 Compatible Products

Door Types

- LPU 42 S-ribbed sectional doors
- LPU 42 M-ribbed sectional doors
- LPU 42 L-ribbed sectional doors
- LPU 42 S-panel sectional doors
- LPU 42 D-ribbed sectional doors
- LPU 42 T-ribbed sectional doors
- LPU 67 M-ribbed sectional doors
- LPU 67 L-ribbed sectional doors

Operator Types

- ProMatic Version 4
- SupraMatic E Version 4
- SupraMatic P Version 4
- SupraMatic HT Version 3



Frame legs must be fitted behind the reveals with a centreline for the fittings at 58mm from the edge of the structure.


The fascia must be fitted and should be mounted behind the lintel, secured with the correct number of fascia fitting brackets.

The top frame fixings are required a minimum of one per side is acceptable but where possible both should be fitted.

The floor fitting must be fitted.

All frame fittings need to be fitted.

Minimum of four fixings for the towing arm bracket.



Ensure the boom support bracket is fitted within tolerance dependent on the track application.

With the door in the fully open position the towing arm should be $\leq 30^\circ$.

The front limit stop must be fitted securely.

The security label must be fitted central to the operator mounting point.

Finally upon receipt the Secured by Design Certificate must be applied

Installers Declaration of Conformity to the Secured by Design Requirements

Customer Copy

Please ensure to complete this form in full to ensure this door can be registered on our Secure by Design register:

Design register:

Customer Details:

Customer Name:

Customer Post Code:

Customer Address:

Installer Details:

Installation Company:

Installer Name:

Installation Date:

Door Details:

Door type & model:

Door Size:

Door Plate Serial Number:

Door Plate Product Number:

Door Plate Door Position:

Door Plate Year of Manufacture:

Operator Details:

Operator Model Type:

Operator Serial Number:

Declaration:

We hereby declare the above mentioned products have been installed in accordance to the manufactures instructions and the requirements laid down in this booklet.

Signed on behalf of:

By:

Position:

Date:

Signature:

Installers Declaration of Conformity to the Secured by Design Requirements

Registration Copy

Please complete this form in full to ensure this door can be recorded on our Secure by Design register:

Design register:

Customer Details:

Customer Name: _____ Customer Post Code: _____

Customer Address: _____

Installer Details:

Installation Company _____

Installer Name: _____

Installation Date: _____

Door Details:

Door type & model: _____

Door Size _____ Door Plate Serial Number: _____

Door Plate Product Number: _____ Door Plate Door Position: _____

Door Plate Year of Manufacture _____

Operator Details:

Operator Model Type: _____ Operator Serial Number: _____

Declaration:

We hereby declare the above mentioned products have been installed in accordance to the manufactures instructions and the requirements laid down in this booklet.

Signed on behalf of:

By:

Position:

Date:

Signature:

Please return this sheet to: Garador Ltd., Bunford Lane Yeovil, Somerset BA20 2GL

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. Zuwiderhandlungen verpflichten zu Schadenersatz. Alle Rechte für den Fall der Patent-, Gebrauchsmuster- oder Geschmacksmustereintragung vorbehalten. Änderungen vorbehalten.